



HANDS FREE SAFETY TOOL

Hands Safety Tools for Hands Free Operation - lifting, guiding, handling and manoeuvring suspended loads and drill pipes. Most of these injuries occur on the rig floor in the “caught between objects” category.

Raah Safety - strives to gain the upper hand in hand and finger safety. Preventing hands and fingers from injuries due to Pinch Points and Crush Points.



 www.raahinc.raahgroup.com
 salesUSA@raahgroup.com

GET QUOTE

LIFTING AIDS



Specification:

- Minimum Breaking Load - 5000kg
- Factor of Safety - Over 10:1
- Webbing Belt Strap: Standard size – 50 mm simple x 9000 mm length
- Product Code: OHS-C100 - MHCS100
- Used in the construction, manufacturing, Oil and Gas, Mining, Marine, Agriculture, Aerospace and more.

FINGERSAVER TOOL



Specification:

- 3 Major Sizes 295, 375, 850 MM
- User-friendly
- Designed to protect fingers when flogging or hammering.
- Used in the construction industry, manufacturing plants, warehouses, and workshops where heavy machinery is operated.

GAS GRAB



Specification:

- Designed to lift and move heavy cylinders of various gases and liquids
- Models to suit cylinders from 4"(100mm) to 14.75" (376mm)
- Lightweight and easy to install, use and detach
- Ideal for every industry where high-pressure gas cylinders (gas bottles) are used.



ANTI-TANGLE TAGLINES



Specification:

- Taglines with tangle resistance and rigid core.
- Made from Synthetic Rope, SK 75 12 mm with 6 mm core (18 mm).
- Four Size Variants: 10ft, 15ft, 25ft, 35ft, and 45ft.
- Widely adopted by major industry players in Oil & Gas, Energy sectors, Shipping, Construction, Mining and more.

TAGATTACH



Specification:

- Long grip rope with a wide rigging tagline diameter which is resistant to tear and wear and extreme stretching.
- Available in 3mtr, 5mtr, 7mtr and 10mtr lengths
- Used in Petroleum drilling sites, Mining Operations, and heavy duty auto mechanics and lifting locations and more.

SAFE T STIK



Specification:

- Available in XL, MINI-T, MINI-D, SR-T, SR-D.
- Use to safe unloading the heavy steel plates, Metal structure, I-beams, Rods & Pipes / Helps to lift or pull water valves cover, Trench plates, Gratings.
- Oil refineries and drilling sites, Road Maintenance and construction sites, Shipyards and marine industries, Chemical companies, Warehousing and shipping containers.



MAGNETIC MANUAL LIFTING



Specification:

- Heavy lifting, plate handling applications, sheet alignment and de-stacking needs.
- On-Off Magnetic clamp button.
- Rechargeable 4 volt battery available in cordless variety
- Recommended weight lift 60 lb. 27 kg
- Breakaway force at 200 lb. (90 kg)
- Lifting magnet safety, a handful of these Automotive production sites, Steel processing and more.

MAGNA GRAB



Specification:

- The Magna-Grab is a multipurpose, hands-off magnetic tool, available in 5 sizes.
- Strong, durable, and easy to use
- Lightweight and super tough at just 3 lbs
- Boasts over 500 lbs of magnetic pull force
- Used in Oil & Gas Rings, Manhole Construction, Marine, Mining and refineries and more.

ROD LIFTER



Specification:

- Rod Lifter, exclusive lifting tool for pipes and rods.
- Durable and resistant to heavy weights, extreme temperature.
- Size Capacity - 100 kg, Diameter - Std, Surface Treatment - Metal, Weight- Std.
- Chemical Industries, Automotive Industries, Land Mining and Drilling Rig, Process Mills such as Paper Mills, drilling platforms and pumping units.





 www.raahinc.raahgroup.com
 salesUSA@raahgroup.com

