

# Your Trusted Partner In Specialised SAFETY



# INDEX

01

## FAST MOVING

Push Pull Tool	.....	01
Push Pull Pole Sticks	.....	03
Pallet Safety	.....	05

07

## OPERATOR SAFETY

Hands Free Safety	.....	07
Offshore Handling System	.....	13
Drum Handling	.....	15
Electrical Safety Products	.....	17
Oilfield Safety	.....	20
Hose Restraints Safety	.....	21
Hammering safety	.....	23
Rig Safety	.....	25
Locks, Tags and Signs	.....	26
Anti Slip Products	.....	27

30

## ASSET SAFETY

Miscellaneous Safety	.....	30
----------------------	-------	----

# FAST MOVING

## Specialised Safety Solution

01

### Push Pull Tool

#### » Stiffy Push Pull Safety Heavy Duty Hand Tool

- The Stiffy Hand Safety Tool 2 HD is based on our most popular Stiffy SHT-2.
- It is simply stronger and more durable. It features a large D handle, glove sized grips, and a vulcanized rubber insert.
- Versatile **V-Shaped tool** hand to push against flat, cornered and round surfaces
- Tool head has a rubber lining to prevent slippage
- Opposing **V-hooks** on the tool head designed to snag taglines
- Enhanced with carbon fibre sleeve on the neck to reinforce tool head
- Engineered “Glove sized” hand stop with gussets.
- Highly ergonomic and slip resistant grip.
- Weighs as low as **1.75oz per foot**
- Load Testing: Static pull **400 lbs.** Compression **600 lbs.**



# FAST MOVING

Specialised Safety Solution

## Push Pull Tool

### » SHT2 Stiffy Push Pull Safety Hand Tool



### » SHT3 Stiffy Push Pull Safety Hand Tool



Product Code	Description	Size
SHH-21	21" Handy Hook	21
SHT2-42	42" TYPE 2 with push-pull tool head w/handle	42
SHT2-50	50" TYPE 2 with push-pull tool head w/handle	50
SHT2-72	72" TYPE 2 with push-pull tool head w/handle	72
SHT2-42 HD	42" TYPE 2 Heavy Duty Tool w/handle	42
SHT2-50 HD	50" TYPE 2 Heavy Duty Tool w/handle	50
SHT2-72 HD	72" TYPE 2 Heavy Duty Tool w/handle	72
SHT3-42	42" Hand Tool	42
SHT3-50	50" Hand Tool	50
SHT3-72	72" Hand Tool	72

# FAST MOVING

## Specialised Safety Solution

03

### Push Pull Tool

#### » Push Pull Pole Sticks

- Push / Pull Poles are designed to help facilitate 'hands-free' lifting.
- The hook end can be used at full extension (approximately 2m / 6ft) to retrieve tag lines hanging vertically without a load handler having to go too close to a suspended load.
- The rubber buffer is used to push against suspended loads.
- The poles would normally be fully retracted (for rigidity) during this type of use where their **length is 1.2m / 4ft.**
- Size available VM261003.



#### » Grab Hand Safety Tool

- Provide full control of suspended tubulars  
**GRABIT0206: 2"-6" Dia Tubulars,**  
**GRABIT0210: 2"-10" Dia Tubulars.**
- Ratcheting action enables the GrabIt to lock as it closes around the tubular to ensure a firm grasp.
- Trigger allows for easy release.
- Compact and lightweight design makes it ergonomically friendly.
- Side handle for better ergonomics and control.
- Tethering point to prevent a dropped object.
- Safety orange color for better visibility.
- Wide curved area at top of tool for added stability when pushing.



# FAST MOVING

## Specialised Safety Solution

### Push Pull Tool

#### » RAAH Snare Tool

- The RAAH SNARE TOOL features improved non-slip grips, automatic locking mechanism and super strong aluminum or stainless steel shaft.
- Aluminum and Stainless Steel Snare Poles
- Designed to save fingers, hands, & arms by avoiding pinch points & crush points allowing you to control tubular & suspended loads.



#### SINGLE RELEASE SNARE TOOL

Product Code	Description	Size
HFS-SST-24"	24" Snare Tool Single Release Aluminum	24
HFS-SST-36"	36" Snare Tool Single Release Aluminum	36
HFS-SST-48"	48" Snare Tool Single Release Aluminum	48
HFS-SST-60"	60" Snare Tool Single Release Aluminum	60

#### DUAL RELEASE SNARE TOOL

Product Code	Description	Size
HFS-SDTR-36	36 Snare Tool Dual Release Aluminium	36
HFS-SDTR-48	48 Snare Tool Dual Release Aluminium	48
HFS-SDTR-60	60 Snare Tool Dual Release Aluminium	60



# FAST MOVING

## Specialised Safety Solution

05

### Pallet Safety

#### » RAAH IBC Lifter

- Designed to safely lift IBC container or palletized cargo using cranes.
- More secured method of lifting
- Assembly contains safety hooks, beams and connectors.
- Painted safety yellow finish
- Full unit tested to lift IBC container upto **2 Tons**
- Comes with Load Test certificate
- Suited for the premium spaces and can be manufactured as per the specific requirements.
- **WLL of 2000 kgs.**



#### » RAAH Pallet Bars

- Provide full control of suspended tubulars 3" - 10" in diameter.
- Promote hands-free operations.
- Ratcheting action enables the GrabIt to lock as it closes around the tubular to ensure a firm grasp.
- Trigger allows for easy release.
- Compact and lightweight design makes it ergonomically friendly.
- Side handle for better ergonomics and control.
- Tethering point to prevent a dropped object.
- Safety orange color for better visibility.
- Wide curved area at top of tool for added stability when pushing.



#### » RAAH Pallet Cage

- For use with tote crates/pallets
- Dimensions can be customized as per customer requirements
- Top and bottom open
- Comes with Load capacity test
- Heavy duty construction
- No Side Doors needed
- Easy to install and lockable bottom lifting bars
- Resistant to shock and impact
- Comes with Load Test Certificate



# FAST MOVING

## Specialised Safety Solution

06

## Pallet Safety

Size	Safe Weight Capacity	Test Load Capacity	Standard Dimensions
Standard Size	2.3 Ton	3 Ton	137mm x 1370mm x 1400mm

### » RAAH Pallet Lift Assembly Kit

- Assembly with a multi leg sling or chains
- Precisely fitting hooks and components Tensile resistance
- Robust structure in the bars, sling and other components
- WWL 2 tons per pair for bars
- Compatible with crane lifting devices
- Available in customized pallet assembly kit
- PBAK014 is an add on to our PB011 Pallet lifting bars.
- We can customize as per your requirements.



### » RAAH Portable Access Ramp

- Made of aluminium with anti-slip surface.
- Lightweight
- Color : Blue
- Comes with D Handle which will make handling easier
- Rugged construction
- Fast Installation
- Economical Solution





# Operator Safety

## Specialised Safety Solution

### Hands Free Safety

#### » Manual Handling Aids



#### LIFT ASSIST CHOKE VALVE SLING

<b>Rating</b>	50 Kg WLL
<b>Minimum Breaking Load</b>	500 Kg
<b>Factor of Safety</b>	In excess 10:1
<b>Webbing Belt Strap</b>	25mm Simplex Polyester Webbing
<b>Certification</b>	CE Marked, Safe Use Instruction Sheet

#### LIFT ASSIST SINGLE HANDLE

<b>Rating</b>	75 Kg WLL
<b>Minimum Breaking Load</b>	750 Kg
<b>Factor of Safety</b>	In excess 10:1
<b>Webbing Belt Strap</b>	50mm Simplex 900mm long as standard
<b>Certification</b>	CE Marked, Safe Use Instruction Sheet




#### LIFT ASSIST DOUBLE HANDLE

<b>Rating</b>	100 Kg WLL
<b>Minimum Breaking Load</b>	1000 Kg
<b>Factor of Safety</b>	In excess 10:1
<b>Webbing Belt Strap</b>	50mm simplex x 1500mm long as standard
<b>Certification</b>	CE Marked, Safe Use Instruction Sheet

Product Code	Description
HFS-C100	Lift Assist Choke Valve Slings - 2" Chocke Calve Strop
HFS-D100	Lift Assist Double Handle - Manual Handling Aid
HFS-S100	Lift Assist Single Handle - Manual Handling Aid

Lift Assist Choke Valve Slings - 2" Chocke Calve Strop



Lift Assist Double Handle - Manual Handling Aid



Lift Assist Single Handle - Manual Handling Aid

# Operator Safety

## Specialised Safety Solution

### Hands Free Safety

#### » Gas Grab

- Designed for lifting and moving heavy gas and liquid cylinders
- Built for single or two-person handling, ideal for high-pressure cylinders
- Compatible with cylinders from **4" (100mm) to 14.75" (376mm) in diameter**
- Commonly used across industries: Industrial, Manufacturing, Healthcare, Construction, Oil & Gas, Automotive, and Aerospace
- Lightweight, easy to install, operate, and detach
- Available in various sizes



Product Code	Colors
GasGrab™ 4" (100mm) PAIR	White Gloss
GasGrab™ 5.5" (140mm) PAIR	Navy Gloss
GasGrab™ 6" (152mm) PAIR	Yellow Gloss
GasGrab™ 7" (178mm) PAIR	Light Grey Gloss
GasGrab™ 8" (203mm) PAIR	Light Blue Gloss
GasGrab™ 8.5" (215mm) PAIR	Yellow Gloss
GasGrab™ 9" (230mm) PAIR	Green Gloss
GasGrab™ 9.25" (235mm) PAIR	Purple Gloss
GasGrab™ 10" (254mm) PAIR	Gloss Orange
GasGrab™ 10.5" (267mm) PAIR	Grey Gloss
GasGrab™ 11" (278mm) PAIR	Mint Green Gloss
GasGrab™ 12" (305mm) PAIR	Light Blue Gloss
GasGrab™ 12.5" (320mm) PAIR	Beige Gloss
GasGrab™ 14.75" (376mm) PAIR	Red Gloss

#### » Safe - T - Stik

- Use to safe unloading the heavy steel plates, Metal structure, I-beams, Rods & Pipes / Helps to lift or pull water valves cover, Trench plates, Gratings,
- Easy, Durable, UV and corrosive resistant.
- Control the equipment from oscillating and safely unload in the specific marking location.
- Tested FRP Stick is a non-conductive material, it helps to prevent from the Electric shock.
- The Robust "T" Handle has a very unique ability to twist and lock in 90 degree intervals.
- Super grip magnet produces 400 lbs of grip force and is protected in a steel casing.
- Available in various sizes



# Operator Safety

## Specialised Safety Solution

09

### Hands Free Safety

#### » TwistIt Rackit

- Designed with lightweight aluminum material
- Comes with plastic tong handles
- Heavy duty and durable
- Operated by a single motion
- Applied usage with twist on/twist off action
- Size; 4.5" outer diameter
- Keeps hands and fingers safe with a buffer zone



#### » Talon

- Robust construction
- Ergonomic and user friendly
- 14 inches long
- Lightweight (2 lbs)
- Hands safety tool
- Laser-cut design
- Made with galvanized steel dual hooks
- Comes with D-Handle grip
- Effortless one bolt assemblage
- Various hook attachments are available
- Made in the U.S.A.



#### » Anti Tangle Tagline

- Made from Synthetic Rope, SK 75 12 mm with 6 mm core (18 mm) offering significant power yet light in weight
- Weaved over braided cover to avoid scratch
- High visibility yellow outer braid
- Dirt repellent cover is washable
- Tangle resistant
- Designed not to catch on pinch points
- We supply OHS 15", 25", 35" and 45" feet
- Can live longer than PP, Manila and other fiber ropes by several times.



# Operator Safety

## Specialised Safety Solution

10

### Hands Free Safety

#### » Sling Stik

- Robust, long-lasting, and user friendly
- Comes in 60 inches long
- Light weight (3.5 lbs)
- Mitigates risks against pinch points and suspended load fall zones
- Laser cut & galvanized steel hook attachments
- More attachments are available including 1 inch, 1.25 inch, and Talon dual hook
- Compatible with the Talon dual hook attachment
- Ergonomic with great grip.



#### » Grapppler Hands Free Tool

- Adaptable, long-lasting, and user friendly
- Lightweight and robust
- Offers hands free safety tool
- comes in 3 sizes (18 in, 26 in, & 34 in)
- Mitigates pinch, crush and cut points
- Designed with hard-and-fast laser cut 5052 hook
- Works with both round and square materials
- Comfortable dura foam grip
- Zero assemblies needed
- Made in the U.S.A.




# Operator Safety

## Specialised Safety Solution

### Hands Free Safety

#### » FingerSaver Hands Safety Tool

- Lightweight with strong durable outer shell
- Simple mechanism and easy to use
- Release mechanism support
- Finger like grip to the objects that require precise clutch such as bolt and nuts during hammering
- Absorbing the vibration shock from sledge hammers.
- A tool-saver creating a buffer zone to avoid impact, crush, and pinch points
- Designed in a variety of sizes including; long FingerSaver, standard FingerSaver and compact FingerSaver, the tool is “100%manufactured in the UK”.



Product Code	Description	Size	Weight	Colour
FSE375MM	Finger Saver Small	375mm	230g	Orange
FSE850MM	Finger Saver Long	850mm	680g	Orange
FSE295MM	Finger Saver Compact	295mm	194g	Orange

# Operator Safety

## Specialised Safety Solution

12

### Hands Free Safety

#### » Rod Lifter

- Durable and resistant to heavy weights, extreme temperature.
- Easy application and handling
- Reliable and cost effective
- Easy and effective grip mechanism
- 100% manufactured in Australia



#### » Tagattach

- Used as large and mid-range construction taglines
- On-shore and offshore petroleum drilling sites
- Mining Operations
- Stone, Wood and metal refineries
- Vehicle manufacturing sites
- Military camps and sites
- Marine and heavy duty auto mechanics and lifting locations



#### TAGATTACH GRIP ROPE



# Operator Safety

## Specialised Safety Solution

13

### Offshore Handling Systems

#### » PRO Pipe Gripper Tool

- Handling pipes of 4" to 13" diameters
- Fast lock and quick release buckle
- 2000kg rated webbing
- Available length; 1200mm and 1500mm
- Lightweight and durable aluminum staff
- Tagline retrieval features
- Comes in hi-visibility color
- Enclosed or open hand grip with rubber coating
- Non slip grip



#### » Drill Pipe Set Back Tool

- Hook for tag line retrieving
- Available in 1200mm and 1500mm lengths, Pipe diameter up to 5" inches.
- Comes in hi-visibility color
- Crafted from lightweight and robust aluminum staff
- Designed with rubber coating for non slip grip
- Attachment for push and pull function
- Provides great leverage
- Durable Rubber-grips, Nonslip.
- Shoulder attachment at the rear for extra leverage to position pipe in vertical position.
- Ergonomic and excellent performance



#### » Hands Free Tools Storage Station

- Made from Medium Density polyethylene (MDPE)
- Includes mounting clips and 12 mm mounting bolts, Compact design
- Used as onshore and offshore tools station of up to 10 tools
- Comes with Over Canopy and a place for audit check sheet
- Customized models are available



#### » PRO Pipe Handling Tool

- Handling pipe up to 10 inches in diameter, staff lengths; 1300mm, 1500mm
- Tag line retrieval capabilities
- Lightweight and durable
- Made for harsh environments
- Push/pull capabilities
- Offering outstanding leverage
- Industrial grade aluminum staff
- Comes in hi-visibility color



# Operator Safety

## Specialised Safety Solution

14

### Offshore Handling Systems


#### » Drill Pipe Handling Tool

- Multifunctional double U shaped attachment
- Handling pipes up to 5 7/8 inches
- Used to maneuver pipes both in vertical or horizontal position
- Easy exchange from a push & pull function
- Excellent support and control
- Tag line retrieval mechanism
- Available lengths; 1200mm, 1500mm
- Enhanced with safe hi-visibility color
- Constructed with industrial grade aluminum staff
- Available with enclosed hand grip or non-slip rubber hand grip models
- Fitted with replaceable rubber coatings



#### » Drill Pipe Connection Guide Tool

- Resistant to chemical exposure such as drilling liquid
- Resistant to extreme temperatures
- Comes with extra strong rubber
- Study handle
- Ergonomic
- Categorized under personal protection equipment
- Drill pipe dimensions: 2 3/8" to 5 7/8" Drill Pipe Diameters
- Color: high visible safety orange
- Fitted with wrist lanyards to reduce any risk of dropping



#### » Grating Lifter

- 8mm steel tool attachment
- No requirement to move mechanical parts
- Available 1200mm long shaft
- Comes in hi-visibility color
- Shaft made with robust aluminum
- Excellent quality rubber coated grip
- Comes with hand protector
- Ergonomic construction





# Operator Safety

## Specialised Safety Solution

15

### Drum Handling

#### » Morse 86 Drum Lifter

- Made of carbon stainless steel painted blue, the corrosion free material in case of chemical exposure and extreme temperatures
- Caters a range of barrel lifting sizes, in particular; 22" to 23.5" (55.9 cm to 59.7 cm) in diameter, 23" to 38" (58.4 cm to 96.5 cm) tall
- Handles up to 1000 IBS or 450 Kg, 56 Lb. (25.4 kg), L28" x W19" x H30" (71 x 48 x 76 cm)
- Used in Docks and Mezzainnes, Oil rigs and marine applications, Construction Sites etc.
- 100% manufactured in USA



Product Code	Description	Capacity	Domestic Ship Weight	Domestic Ship Weight
86	Drum lifter with web strap around drum	1000 LB (454 Kg)	56 Lb (25.4 Kg)	L28" x W19" x H30" (71 x 48 x 76 cm)
86-SS	Stainless Steel Drum Lifter with web strap around drum	1000 LB (454 Kg)	56 Lb (25.4 Kg)	L28" x W19" x H30" (71 x 48 x 76 cm)

#### » Drum Dollies

- Used for barrels, drums and other heavy appliances
- Easy and effective movability
- Casters built of Polycarbonate Plastic
- Capacity up to 1,000-pound / 0.5 Ton
- From 15 gallon drum dolly options to 55-gallon drum
- Drum Dollies with 3" (7.6 cm) MORtuf polyolefin swivel casters.
- Capacity: 1000 Lb. (454 kg)
- 14 Series Round Drum Dollies Move a drum on dolly with wide stance base. Fits up to 23" (58.4 cm) O.D.
- 34 Series Square Drum Dollies Rounded corners turned up hold drum in position. Fits up to 24" (61 cm) O.D.
- Option # 4959i-P: Stainless steel casters with polypropylene wheels on any Morse drum dolly.



# Operator Safety

## Specialised Safety Solution

16

### Drum Handling

#### » Fork Mount Drum Handler

- Single or Double Drum handling
- Fully automatic without manual drum rotator requirement
- Handles transportation over rough or flat ground
- Zinc plated twist screws for safe attachment to truck
- Fork size reaching up to 125 x 50mm at 620mm centres
- 12V DC Battery
- A complete 180o to facilitate pouring, Tilting in diverse directions
- Offering additional slip grip mounts- Grip Pad Kit
- 15 to 55 gallon drum tilter or 55 to 210 liter, Maximum Capacity at 1500 Lb or 680 kg
- Zinc plated screws for secure installment to a forklift



#### » Morse hand Truck

- Hand trucks are pieces of equipment that move heavy items.
- Wide wheelbase, which means it doesn't need to be maneuvered over high obstacles like a pallet jack or fork truck.
- Hand trucks are also a good option for small and mid-sized items because they can be stacked and moved at the sametime



# Operator Safety

## Specialised Safety Solution

### Electrical Safety Products

#### » Life Saving Kits

- Insulated Electrical Safety Rescue Hook, Voltage Detector
- High-Leverage Cable Cutter
- Electrical Insulating Gloves and Boots
- Warning Signals, Adhesive tape
- Talcum Powder, Instructions in English
- Wall Mounting cabinet



Product Code	Description	Maximum Voltage	Physical Dimensions	Weight
CZ-53-R	Portable Life Saving Kit   English Instructions	25kV	710mm x 510mm x 240mm	21kg
CZ-53-MR	Portable Life Saving Kit   English / Arabic Instructions	25kV	710mm x 510mm x 240mm	21kg
CZ-53-R/2	Portable Life Saving Kit   English Instructions	36kV	710mm x 510mm x 240mm	21kg
CZ-53-MR/2	Portable Life Saving Kit   English / Arabic Instructions	36kV	710mm x 510mm x 240mm	21kg
CZ-54-RM	Wall Mounted Life Saving Kit   English / Arabic Instructions	24kV	840mm x 754mm x 270mm	21kg
CZ-55-R	Wall Mounted Life Saving Kit   English Instructions	36kV	840mm x 754mm x 270mm	21kg
CZ-55-RM	Wall Mounted Life Saving Kit   English / Arabic Instructions	36kV	840mm x 754mm x 270mm	21kg

## Electrical Safety Products

### » Kit Arc Flash Kit

- Dealing in Catu UK Electrical Safety products:
  1. Insulating Gloves for Arc Flash Protection CG-11
  2. NOMEX III Undergloves
  3. Arc Flash Gloves CG-65-CAL
  4. High-Visibility Arc Flash Parka M-882082
  5. Arc Flash Face Shield Kit (10 cal/cm<sup>2</sup>)
  6. Arc Flash Jackets and Protective Coverall Kits



### » Electrical Gloves

- Comfortable for long hours of usage
- Design dexterity
- Made from natural rubber
- Puncture, cut and abrasion resistant, (although over gloves are recommended)
- Available in cuffed and straight edges at the bottom
- Compliance with EN 60903:2003, IEC 60903:2014 and CE category II



### » Electrical Boots

- Seamless wear and comfortable
- Fully waterproof, Slip and fall resistant
- Compliance with international standards
- Heat and cold insulated
- Ergonomic



# Operator Safety

## Specialised Safety Solution

### Electrical Safety Products

#### » Electrical Mats

- Made from insulating rubber
- Resistant to acid exposure, UV, oil spills, high and low temperatures
- Boasting hydrophobic and fire retardant characteristics
- Anti-skid patterns on the top and bottom surfaces
- Durable and puncture resistant
- Voltage applications availability of 415V to 36kV
- Compliance with ASTM D 178 standards
- Thickness, ranging from 2 to 7 mm, 10 meters length
- Easily washable with mild detergent



Classification	Working Voltage	Proof Voltage	Withstand Voltage
Class0	1000 V AC	5000 V AC	10000 V AC
Class1	7500 V AC	10000 V AC	20000 V AC
Class2	17000 V AC	20000 V AC	30000 V AC
Class3	26500 V AC	30000 V AC	40000 V AC
Class4	36000 V AC	40000 V AC	50000 V AC

#### » Personal Voltage Detector

- Adjustable Sensitivity.
- Self Testing Features
- Re-chargeability and Long Usability Period
- Ergonomic Use
- Industrial-Grade Durability



# Operator Safety

## Specialised Safety Solution

20

### Oilfield Safety

#### » Gearench

- **Gearench** wrench manufacturer, guaranteeing both reliability and long life cycle.

Code	Product Name	Code	Product Name
RW1	PETOL REFINERY WRENCH	RWH1	HANDLE, PETOL REFINERY WRENCH
RW1AL	PETOL ALUM. REFINERY WRENCH	RWH1AL	HANDLE, PETOL ALUM. REF. WR.
RW1SG	PETOL REFINERY WRENCH	RWH1SG	HANDLE, PETOL REFINERY WRENCH
RW2	PETOL REFINERY WRENCH	RWH2	HANDLE, PETOL REFINERY WRENCH
RW2AL	PETOL ALUM. REFINERY WRENCH	RWH2AL	HANDLE, PETOL ALUM. REF. WR.
RW2SG	PETOL REFINERY WRENCH	RWH2SG	HANDLE, PETOL REFINERY WRENCH

#### » Non - Sparking Tools

- Pin sizes range from 3/8 "to 3-5 / 8".
- Cost effective alignment solutions.
- Durable and resistant to rust, impact and wear.
- Comes with manufacturer certifications.



#### » Flange Aligning Tools

- Designed with premium quality Anti-Static Tools
- Safe to use when exposed to flammable gasses.
- Mitigates fire and explosion risks in live atmospheres and flammable hazard zones.
- Available in a non-sparking option include hammers, axes, pry bars, chisels, utility knives, mallets, pliers, etc.



# Operator Safety

## Specialised Safety Solution

21

### Hose restraints Safety

#### » WhipStops – WhipSocks

- Made from galvanized steel alloy or stainless steel
- Braided construction
- Durable
- Versatile application
- Available in different pressure ratings and sizes
- Featuring dual leg whip stop



#### » Whipchek

- Resilient to high amount of pressure
- Robust design
- Availability range from 1/8" X 20" up to 3/8" X 44" cable
- Hose sizes compatibility ranging from 1/2" I.D to 4" I.D
- Comes with diverse PSI rating
- Extremely abrasion resistance



#### » Red Iron Sling

- Available in three lengths, including 4 ft, 10 ft, and 20 ft.
- Manufactured to ASME B30.9 safety standards
- Tested and certified for high pressure pipe safety
- Secured with half hitched shackle and seal system
- Easy to install, remove and maintain
- Slings are marked with Pipe Size and PSI Ratings
- Available in customized length, colour and pressure rating
- Maintenance of the Red Sling Irons



# Operator Safety

## Specialised Safety Solution

### Hose restraints Safety

#### » Cable & Nylon Hose Chokers

- Available in a variety of sizes for perfect fitting
- Sturdy design and resistant to abrasion
- Easy to install mechanism
- Factory tagging with their fluid and gas (air) ratings
- Adjustable configuration for diverse application
- Available hose ID size ranging from 0.25" up to 12" inch
- Available in both standard and customized varieties



#### » Hose & Piping Chokers

- Minimum breaking strength of 16,000 pounds
- Compliance with API standards
- Available in different size
- Certified, tagged and pull tested.
- Powder coated for resistance against rust, sea water, and chemicals.
- Comes with assembled w/ bolts.
- Clamp types include; Single Bolt, Double Bolt, or 4-Bolt Clamps
- Customizable for color, tagging, etc.



Type	Description	Weight (lbs)	Hose Clamp I.D.
A	Fits most types 2-1/2" I.D. Hose	14	4-3/4"
A	Fits most types 3" I.D. Hose	14	5-1/2"
A	Fits most types 3-1/2" I.D. Hose	14	6-3/4"
A	For 2" Pipe	14	2-3/8"
B	4-1/2" O.D. Stdpp.	18	4-3/4"
B	4-1/2" O.D. Stdpp.	18	5-1/2"
B	4-1/2" O.D. Stdpp.	18.5	6-3/4"
B	5-9/16" O.D. Stdpp.	18.5	4-3/4"
B	5-9/16" O.D. Stdpp.	18.5	5-1/2"
B	5-9/16" O.D. Stdpp.	19	6-3/4"
B	6-5/8" O.D. Stdpp.	19	4-3/4"
B	6-5/8" O.D. Stdpp.	19	5-1/2"
B	6-5/8" O.D. Stdpp.	19.5	6-3/4"



# Operator Safety

## Specialised Safety Solution

23

### Hammering Safety

#### » Slide Sledge Hammers

- Increases profitability
- Simplifies field maintenance / repairs
- Promotes a safer work environment
- Adapts to numerous applications
- Delivers powerful & precise impact



#### » Huwe Hammer Union Wrench

- Made from heat-treated and water-tempered steel
- Comes with a test certificate
- Union diameter of the heads available from 2" to 6"
- Removable handles available in four different sizes
- Economic prices
- Easy to use
- Rugged and durable structure
- Comes with users' manual



#### » Egamaster Total Safety Slogging Wrench

- Made from innovative steel alloy
- Versatile v-shaped push sticks are used to push against flat, cornered, and round surfaces.
- Extreme lightweight, Electrically insulated, and strong.
- Easy to use Push against round and flat materials.
- Extended carbon sleeve & solid fiberglass liner increases the strength of the tool.



# Operator Safety

## Specialised Safety Solution

24

### Hammering Safety

#### » Egamaster Total Safety Slogging Wrench

- The tool head has a rubber lining to prevent slippage
- Opposing V-hooks on the tool head designed to snag taglines
- This push sticks for lifting operations is enhanced with carbon fiber sleeve on the neck to reinforce tool head
- Engineered "Glove sized" hand stop with gussets. Highly ergonomic and slip-resistant grip
- Choose from materials such as Rubber, Plastic, or Aluminum push pole
- Visible orange color for taking clear actions.
- The tool is oil, weather, and chemical resistant.
- Includes Ergonomic Hand Guard for protecting hands, fingers, and arms. It highlights a dedicated tethering point for use while operating at height.



# Operator Safety

## Specialised Safety Solution

25

### Rig Safety

#### » Titan Reversible Chain Tongs

- Material: forged steel alloy
- Handle Type: Steel I-Beam
- Pipe Size: 1/4" - 2-1/2"
- Handle length: 12 inches / 300 mm
- Tong Length: 27" to 67"
- Chain Tensile Strength from 13,800 lbs, 31,000 lbs



#### » Titan Flange Lifter

- In compliance with ASME Specifications B30.20 and BTH-1
- Die stamped with load rating and serial number
- Powder-coated finish
- Fits Bolt Size ranging from 3/4" - 1-1/2" to 1-1/2" - 2-1/2"
- Fits Flange Thickness ranging from 1/2" - 3 3/4" and 1/2" - 7"
- Load capacity rating 1000 lbs. to 2000 lbs.
- Interchangeable gaskets and brackets 1/2" - 3-3/4" to 1/2" - 7"
- Available in 2 models



#### » Petrol Hammertight Wrench Retainer

- Available in individual wrench purchases and sets
- Metric and imperial size markings
- Powder coated spring and retaining plate
- Stud sizes ranging from 5/8"- 2-1/2" (Standard) Or 16mm-64mm (Metric)
- Wrench holder sizes ranging from 1 -1/4" to 3-7/8"
- Available Nut Sizes ranging from 24mm - 95mm
- Durable construction
- Designed with swivel tie-off ring for anti-tool drop protection
- Premium lathed barrel for enhanced spring function
- Matches both sizes of 6 - pt and 12 - pt sockets



# Operator Safety

## Specialised Safety Solution

26

### » Titan Valve Wheel Wrench

- Titan Valve Wheel Wrenches are tools designed to make opening and closing stubborn valve wheels easier.
- They provide extra leverage and feature a smooth "hammer-action" for efficient operation.
- Each wrench fits various sizes and shapes of valve wheels, and the specially shaped opening helps prevent slipping, even in tight or overhead spaces.



## Locks, Tags & Signs

### » Car Seals

- Car Seal Tags are used to identify the status of a car sealed valve.
- The tags are available in green and red to indicate valve open (green) and valve closed (red)
- Offers a range of car seals with varying locking function, length, coding and colors.
- Specific customizations are available
- Made from durable aluminium body of the lock and coated by a protective anodized colourin glayer in different colors.



### » Car Seal Tags

- Material: Polybond.
- Waterproof.
- Dimensions: 50mm Wide x 100mm Tall.
- Color: GREEN
- Supplied in Packs of 100 tags



### » Valve Tags

- Material: Stainless Steel & Powder Coated.
- Waterproof.
- Dimensions: 40mm Diameter.
- Colour: GREEN
- Engraved: 'Valve Locked Open' or 'Valve Locked Closed'
- Supplied individually



# Operator Safety


## Specialised Safety Solution

27

### Anti Slip Products


#### » Safeplate

- Decrease slipping incidents by increasing step traction
- Safeguarding passages, steps, entrances and doorways exit anti slip
- Decreasing the skidding distance in case of fall
- Easy repair to compare to normal flooring.
- Easy installation and cleaning
- Slip free during exposure to oil, lubricant and water spillage



#### » Glowmate

- Glowing for over 8 hours in dark
- High visibility
- Available in standard and custom sizes
- Come with a 5-year Warranty
- Manufactured under ISO 9001-2008
- Compliant with AS/NZS 4586-2004 & ASTM D2047-04 standards
- Compatible with different floorings including Steel, Concret and Timber



### Slip, Trip and Falls

#### » Pedestrian Pipe and hose ramps

- Chemicals and corrosion resistance
- Each edition is tested and certified before shipping
- Available in yellow and black striped safety color
- Water and chemical absorption for easy drying
- Resistant to a wide range of temperature change; - 35 °C to +95 °C
- Customized sizing and colors available on demand.
- The single sizing includes 25mm, 50 mm, 100 mm, 150 mm and 200 mm. Double pipe bridges are twice wider.
- For further physical description, there are 5 standard sizes available. The single pipe bridges weigh from 2 kg in the smallest, rising up to a maximum of 13 kg in the largest. The double pipe bridges are slightly heavier, arraying from 2.5 kg to 19 kg gradually.



# Operator Safety

## Specialised Safety Solution

### » Pipe Walking AntiSlip Mats

- Standard variety is available in highly visible yellow color with black edges.
- Standard pipe & cable covers are sized in 20, 24, 36, 48 inches, in width.
- You can order these Pipe Mat Rolls according to your custom requirements.
- The top layer of our pipe mats is made with 1/8 in Pultruded Fiberglass (FRP) while the side in contact with pipes and tubular is made from non-conductive rubber insulation material.
- Industrial Aluminum made pipe mats options are also available for non-conductive environments.
- The grades vary according to utility environment including
  - Super Coarse Grade for highly slippery conditions.
  - Extra Coarse Grade for marine platforms and providing anti slip roll for decking.
  - Coarse Grade editions for industrial and heavy-duty construction utility
  - Fine Grade for commercial use, Extra Fine Grade for residential and school environments



## Cable Safety

### » Cable Hooks

- A puncture free solution for cables and wires
- Crafted from plastic and glass reinforced polyester
- UV resistant and flame retardant
- Handling extreme temperatures
- Safeguarding the personnel from slip and fall accidents
- Available with customizable engravings
- Color codes include, black, yellow, glow in dark, and customized
- Compliant with Standard Wiring Regulations



	6"	9"	12"	15"
Size Cable Opening (Top)	1.1" = 2.7 cm	1.5" = 3.9 cm	2.1" = 5.4 cm	2.5" = 6.4 cm
Size Cable Opening (Bottom)	1.6" = 4.0 cm	2.6" = 6.6 cm	3.5" = 8.9 cm	4.5" = 11.4 cm
Maximum Load	40 kg - 88 lbs	55 kg - 121 lbs	190 kg - 418 lbs	265 kg - 584 lbs
Weight	40 gram - 0.06 lbs	103 gram - 0.23 lbs	292 gram - 0.64 lbs	518 gram - 1.14 lbs
Material	Glass reinforced polystar - injection molded product			
Standard Color	Yellow, glow in the dark			
UV	Stabilized, guarantee 10 years - under normal usage conditions			
Flame Retardant	Flame Retardant, UL Recognized, 94V - 0 Flame Class Rating (3)			
Cold Fatigue	Protection in cold weather environment			

# Operator Safety

## Specialised Safety Solution

29

### Cable Safety

#### » Cable Guardrail Systems

- Made from Nylon (PA) thermoplastic polymer
- Robust structure and durable
- Sizing 245 mm long x 75 mm wide x 10 mm thick
- Can perform with up to 5 standard 110v or 240v cables up to 11 mm in diameter
- Easy cable loading and locking mechanism
- Easy wall and guard rail mounting with screws or cable ties
- Comes with hinged lid for changing cables effortlessly
- Innovative connection system by using a male-female allowing Cable Guards to any length
- Inbuilt carry handles
- Affordable
- 2 year warranty



### AntiDrop Tools

#### » Egamaster Tool

- Constructed with high-quality standards
- Crafted with premium quality material
- Durable and heavy-duty
- Designed to handle a variety of applications
- Standard designs
- Comes with certified rated load markings
- Offers ergonomic features and design safety



#### » GripPs Tool

- Innovative solutions
- Drilling sites off-shore and on-shore
- Construction and maintenance of large buildings
- Mining sites
- Energy production industries
- Urban mural art and maintenance



# Asset Safety


## Specialised Safety Solution

30

## Miscellaneous Safety

### » Transformers

- Pin sizes range from 3/8 "to 3-5 / 8".
- Cost effective alignment solutions.
- Durable and resistant to rust, impact and wear.
- Comes with manufacturer certifications.



### » Drill Pipe Float Valves

- Drill pipe float valve available in multiple sizes depends on internal diameter of drill pipe.
- Available in Plugger type & flapper type, Based on application.
- Engineered to avoid reverse flow for fluid & slurry.
- Efficient Blowout prevention.
- H2S – 300°F service (HNBR/HSN) and H2S – 400°F service (Viton)



### » Air Spider Basket

- Air power drive mechanism
- Durable winding drum hoist & Corrosion resistant vented transmission
- Gross Load Capacity: 1000 lb. (453.6 kg)
- Dimensions: 37 x 29 x 72 in (940 x 737 x 1829 mm)
- Basket self weight: 210 lb (95.3 kgs)
- Wire Rope Size: 5/16 in (8 mm)
- Wire Rope Construction: Seale Construction 6 x 19
- Basket construction material: Aluminium & steel







## We Are In \_\_\_\_\_

### **USA | RAAH GROUP INC**

10097 Patterson Park Road, Suite 209, Ashland 23005, Virginia, USA.

### **SINGAPORE | RAAH GROUP PTE LTD**

UBI Techpark #04-09 (Lobby A) 10 UBI Crescent, Singapore 408564.

### **UAE | RAAH EQUIPMENT & MACHINES TRADING L.L.C**

National Bank of Abu Dhabi Al Hisn, Al 'Irshan, Level 10, Abu Dhabi, 20036.

### **INDIA | RAAH INETRATIONAL PVT LTD**

Oxford Village Premium Condominium Row House No. 3, Ground floor,  
Kedari Nagar, Wanowrie, Pune, Maharashtra 411040.

### **INDONESIA | PT RAAH INDONESIA**

Ruko Sentra Menteng No MN 49, JL Samratulangi Bintaro Sektor 7, Tangerang Selatan 15224 Jakarta.

**Visit Our Website**

**Website: [www.raahinc.raahgroup.com](http://www.raahinc.raahgroup.com)**

**Email: [salesUSA@raahgroup.com](mailto:salesUSA@raahgroup.com)**

